Application No.: 10/071,917

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the

application:

Claim Listing:

1. (Currently Amended) A method for a user equipment (UE) to transmit

a data field of symbols comprising the steps of:

generating a first data field of symbols;

encoding said first data field producing a second data field having complex

conjugates of the symbols of said first data field;

spreading said first and second data fields, wherein said first data field is

spread using a first channelization code that is uniquely associated with a first

antenna and said second data field is spread using a second channelization code,

each channelization code being that is uniquely associated with one of a first and

second antennas antenna; and

transmitting an RF signal including said first and second spread data fields

over [[a]] the first and second antenna antennas.

- 2 -

Applicant: Kim et al. **Application No.:** 10/071,917

2. (Original) The method of claim 1 further comprising the step of

scrambling said first and second spread data fields by a scrambling code associated

with said UE.

3. (Original) The method of claim 2 wherein the symbols of said first data

field of symbols are grouped into a first and second sub-data field.

4. (Original) The method of claim 3, wherein the symbols of said second

data field of symbols are grouped into a third and fourth sub-data field, wherein

said third sub-data field is the negative complex conjugate of said second sub-data

field and said fourth sub-data field is the complex conjugate of said first sub-data

field.

5-12 (Canceled)

13. (Currently Amended) A method for a user equipment (UE) to transmit

a data field of symbols including a transmitter, the method comprising the steps of:

generating a first data field of symbols;

- 3 -

Applicant: Kim et al.

Application No.: 10/071,917

spreading said first data field using a first channelization code producing a

first spread data field, wherein the first channelization code is uniquely associated

with a first antenna;

spreading said first data field using a second channelization code producing a

second spread data field, wherein the second channelization code is uniquely

associated with a second antenna each channelization code being uniquely

associated with one of a first and second antennas; and

transmitting an RF signal including said first and second spread data fields

over [[a]] the first and second antenna antennas.

14. (Original) The method of claim 13 further comprising the steps of

scrambling said first and second spread data fields by a scrambling code associated

with said transmitter.

15-18 (Canceled)

- 4 -